

MTS / T-BERD 4000

B15422

RELEASE NOTE

Firmware Pack Version B15422 (October 2015)

Ste-Core P15422

- Boot	V2.78	19/June/2014
- Linux Kernel	V1.78	07/Nov/2013
- File System	V5.42	13/October/2015
- Instrument Setup	V14.62	13/October/2015
- Microscope	V14.62	13/October/2015

Ste-Optical P15422

- Fiber Optics	V14.62	13/October/2015
----------------	--------	-----------------

Eni-Apps P11333

- OLP-4057	V1.18	17/Aug/2011
------------	-------	-------------

Salem-Apps P12064

- IEEE80211	V1.84	08/Nov/2010
- COPPER	V1.89	09/Feb/2012
- VDSL	V1.84	08/Nov/2010
- ETHERNET	V1.84	08/Nov/2010
- SCRIPT	V1.84	08/Nov/2010

Cam-Apps P11132

- ESAM	V2.01	29/Mar/2011
--------	-------	-------------

CONTENT

T-BERD/MTS 4000 Base Unit	3
Improvements	3
OTDR	3
Improvements	3
Scope	3
Improvements	3

T-BERD/MTS 4000 Base Unit

Improvements

- New message provided when wrong upgrade performed with a non 4000 firmware release (ie for other T-BERD/MTS platforms)

OTDR

Improvements

- Better dual-wavelength storage with multimode traces when using the FastReport function
- Better management of total loss and ORL calculation when the launch cable is positioned in distance shorter than the OTDR front end dead zone (too close to the OTDR starting point)
- Improved management of high reflectance in multimode

Scope

Improvements

- Improved scope connection having USB 2.0 configuration (linked to some versions of the scope firmware)
- Correction of scope disconnection when storing image
- Improved management of scope function during disconnection/reconnection
- Reduced time for image capture when other test functions are active